

Bonner Sports, Inc.

www.bonnorsports.com

Phone - 1-800-233-0129, Fax 570-753-8148

E-Mail - sales@bonnorsports.com

Model	Year	Length	Carbides				Wear Bars / Hard Bars		
			Studs	4" Carbide	6" Carbide	8" Carbide	Studs	Wear Bar	Hard Bar
QUICK REFERENCE CHART									
Steel Skis "F" Series	93-96	20.00"	3	505-422	506-422	N/A	3	510-422	515-422
Steel Skis "S" Series MX Z	96-97	20.25"	4	505-427	506-427	507-427	4	510-427	515-427
Steel Skis "S" Series w/o PCS	95-2002	24.50"	2	505-426	506-426	N/A	2	510-426	515-426
Steel Skis "S" Series w/ PCS	99-2002	22.75"	2	505-435	506-435	N/A	2	510-435	515-435
Plastic Skis	93-96	19.75"	3	505-421	506-421	N/A	3	510-421	515-421
Plastic Skis	97-98	17.625"	3	505-428	506-428	507-428	3	510-428	515-428
Flex Skis	98-2002	22.00"	4	505-429	506-429	507-429	4	510-429	515-429
Pro-Flex Skis Mach Z	2001-2002	17.75"	3	505-432	506-432	507-432	3	510-432	515-432
Precision Skis	2002-2005	13.00"	2	505-430	506-430	N/A	2	510-430	515-430
Mountain Skis	2002	18.50"	3	505-433	506-433	N/A	3	510-433	515-433
Mountain Skis	2002-2003	22.00"	4	505-429	506-429	507-429	4	510-429	515-429
Mountain Skis	2004	13.50"	2	505-434	506-434	N/A	2	510-434	515-434
Mountain Skis	2005	18.50"	3	505-433	506-433	N/A	3	510-433	515-433
Camoplast Blow-Molded Skis	2003-2007	15.50"	3	505-431	506-431	N/A	3	510-431	515-431
Pilot Skis (std. and mtn.)	2006-2007	13.38	2	505-436	506-436	N/A	2	510-436	515-436
All Models	66-69	24.00"	-	N/A	N/A	N/A	1	510-402	N/A
Alpine	78-95	21.625"	2	505-418	N/A	N/A	2	510-418	515-418
Blizzard	78	19.75"	2	505-418	N/A	N/A	2	510-412	N/A
Blizzard 5500	79-81	21.625"	2	505-418	N/A	N/A	2	510-418	515-418
Blizzard 7500	79	19.75"	2	505-418	N/A	N/A	2	510-412	N/A
Blizzard 7500	80-81	21.625"	2	505-418	N/A	N/A	2	510-418	515-418
Blizzard 9500	80-82	19.75"	2	505-418	N/A	N/A	2	510-412	N/A
Blizzard 9700	83-84	19.75"	2	505-418	N/A	N/A	2	510-412	N/A
Blizzard MX (inner)	81-84	19.75"	2	505-418	N/A	N/A	2	510-412	N/A
Blizzard MX (outer)	81-84	13.125"	-	N/A	N/A	N/A	1	510-420	N/A
Cheyenne	89-91	21.375"	-	N/A	N/A	N/A	2	510-425	N/A
Citation	78-79	29.562"	-	N/A	N/A	N/A	2	510-410	N/A
Citation	80-91	19.00"	3	505-408	N/A	N/A	2	510-408	N/A
Elan	71-96	19.00"	3	505-408	N/A	N/A	1	510-401	N/A
Elite	2004-2005	13.00"	2	505-430	506-430	N/A	2	510-430	515-430
Escapade (long)	88-89	18.75"	-	N/A	N/A	N/A	2	510-423	515-423
Escapade (short)	88-89	14.00"	-	N/A	N/A	N/A	1	510-424	515-424
Everest	74	19.00"	-	N/A	N/A	N/A	2	510-406	N/A
Everest	75-79	19.75"	2	505-418	N/A	N/A	2	510-412	N/A
Everest F/C	80-84	21.625"	2	505-418	N/A	N/A	2	510-418	515-418
Everest L/C	80-84	19.75"	2	505-418	N/A	N/A	2	510-412	N/A
Expedition Sport / 550F	2005-2007	15.50"	3	505-431	506-431	N/A	3	510-431	515-431
Expedition TUV	2005	13.00"	2	505-430	506-430	N/A	2	510-430	515-430
Formula 500 / 583	97-2000	24.50"	2	505-426	506-426	N/A	2	510-426	515-426
Formula Deluxe	97-98	17.625"	3	505-428	506-428	507-428	3	510-428	515-428

Formula Deluxe Fan	99-2001	24.50°	2	505-426	506-426	N/A	2	510-426	515-426
Formula Deluxe Liquid	99-2001	22.00°	4	505-429	506-429	507-429	4	510-429	515-429
Formula III	96	19.75°	3	505-421	506-421	N/A	3	510-421	515-421
Formula III	97-98	17.625°	3	505-428	506-428	507-428	3	510-428	515-428
Formula III	99-2000	22.00°	4	505-429	506-429	507-429	4	510-429	515-429
Formula E/EF/MX/LT/XTC	85-94	20.00°	3	505-422	506-422	N/A	3	510-422	515-422
Formula GT/GTSE	93-94	19.75°	3	505-421	506-421	N/A	3	510-421	515-421
Formula GT XTC	94-95	20.00°	3	505-422	506-422	N/A	3	510-422	515-422
Formula Plus LT	85-91,93	20.00°	3	505-422	506-422	N/A	3	510-422	515-422
Formula S, SL, SLS	95-2000	24.50°	2	505-426	506-426	N/A	2	510-426	515-426
Formula SP / SS	85-86	19.75°	2	505-418	N/A	N/A	2	510-412	N/A
Formula SS/ST/STX/STX II/STX LT	94-96	20.00°	3	505-422	506-422	N/A	3	510-422	515-422
Formula Z	94-96	19.75°	3	505-421	506-421	N/A	3	510-421	515-421
Formula Z	97-98	17.625°	3	505-428	506-428	507-428	3	510-428	515-428
Formula Z	99-2000	22.00°	4	505-429	506-429	507-429	4	510-429	515-429
Freestyle	2006-2007	15.50°	3	505-431	506-431	N/A	3	510-431	515-431
Grand Luxe	85-86	19.75°	2	505-418	N/A	N/A	2	510-412	N/A
Grand Touring 470	93-95	20.00°	3	505-422	506-422	507-422	3	510-422	515-422
Grand Touring 580/670	93-95	19.75°	3	505-421	506-421	N/A	3	510-421	515-421
Grand Touring 500	96	24.50°	2	505-426	506-426	N/A	2	510-426	515-426
Grand Touring 580/670	96	19.75°	3	505-421	506-421	N/A	3	510-421	515-421
Grand Touring	97-98	17.625°	3	505-428	506-428	507-428	3	510-428	515-428
Grand Touring	99-2001	22.00°	4	505-429	506-429	507-429	4	510-429	515-429
Grand Touring Fan	2002	22.75°	2	505-435	506-435	N/A	2	510-435	515-435
Grand Touring SE	2002	13.00°	2	505-430	506-430	N/A	2	510-430	515-430
Grand Touring Sport	2002	22.00°	4	505-429	506-429	507-429	4	510-429	515-429
Grand Touring Fan	2003	15.50°	3	505-431	506-431	N/A	3	510-431	515-431
Grand Touring SE/Sport	2003	13.00°	2	505-430	506-430	N/A	2	510-430	515-430
GSX (exc. Fan)	2004-2005	13.00°	2	505-430	506-430	N/A	2	510-430	515-430
GSX Fan	2005	15.50°	3	505-431	506-431	N/A	3	510-431	515-431
GSX	2006-2007	13.38	2	505-436	506-436	N/A	2	510-436	515-436
GTX (exc. Fan)	2004-2005	13.00°	2	505-430	506-430	N/A	2	510-430	515-430
GTX Fan	2005	15.50°	3	505-431	506-431	N/A	3	510-431	515-431
GTX	2006-2007	13.38	2	505-436	506-436	N/A	2	510-436	515-436
Legend Fan	2002	24.50°	2	505-426	506-426	N/A	2	510-426	515-426
Legend GS/SE	2002	13.00°	2	505-430	506-430	N/A	2	510-430	515-430
Legend Sport	2002	22.00°	4	505-429	506-429	507-429	4	510-429	515-429
Legend Fan	2003-2004	15.50°	3	505-431	506-431	510-431	3	510-431	515-431
Legend SE Sport	2003-2005	13.00°	2	505-430	506-430	N/A	2	510-430	515-430
Legend GT Fan	2004	15.50°	3	505-431	506-431	N/A	3	510-431	515-431
Legend GT SE/Sport	2005	13.00°	2	505-430	506-430	N/A	2	510-430	515-430
Legend V-800	2007	15.50°	3	505-431	506-431	N/A	3	510-431	515-431
Mach I	89-94	20.00°	3	505-422	506-422	N/A	3	510-422	515-422
Mach I	95-96	19.75°	3	505-421	506-421	N/A	3	510-421	515-421
Mach I	97-98	17.625°	3	505-428	506-428	507-428	3	510-428	515-428
Mach I	99	22.00°	3	505-429	506-429	507-429	3	510-429	515-429
Mach Z	93-96	19.75°	3	505-421	506-421	N/A	3	510-421	515-421
Mach Z	97-98	17.625°	3	505-428	506-428	507-428	3	510-428	515-428
Mach Z	99-2000	22.00°	4	505-429	506-429	507-429	4	510-429	515-429
Mach Z	2001-2002	17.75°	3	505-432	506-432	507-432	3	510-432	515-432
Mach Z	2003/2005	13.00°	2	505-430	506-430	N/A	2	510-430	515-430
Mach Z	2006-2007	13.38	2	505-436	506-436	N/A	2	510-436	515-436

MXZ	93	19.75°	3	505-421	506-421	N/A	3	510-421	515-421
MXZ	94-95	20.00°	3	505-422	506-422	N/A	3	510-422	515-422
MXZ (3/8" host bar - exact OEM)	96-97	20.25	4	505-427	506-427	507-427	4	510-427	515-427
MXZ	98-2001	22.00°	4	505-429	506-429	507-429	4	510-429	515-429
MXZ Fan	2001-2002	24.50°	2	505-426	506-426	N/A	2	510-426	515-426
MXZ Trail	2002	22.00°	4	505-429	506-429	507-429	4	510-429	515-429
MXZ Adrenaline/Renegade/Sport/X	2002	13.00°	2	505-430	506-430	N/A	2	510-430	515-430
MXZ Adrenaline/Renegade/Trail	2003	13.00°	2	505-430	506-430	N/A	2	510-430	515-430
MXZ Fan	2003-2004	15.50°	3	505-431	506-431	N/A	3	510-431	515-431
MXZ REV (exc. Fan)	2003-2005	13.00°	2	505-430	506-430	N/A	2	510-430	515-430
MXZ REV Fan	2005	15.50°	3	505-431	506-431	N/A	3	510-431	515-431
MXZ REV	2006-2007	13.38	2	505-436	506-436	N/A	2	510-436	515-436
Nordik	70-74	24.00°	-	N/A	N/A	N/A	1	510-403	N/A
Nordik	82-83	21.625°	2	505-418	N/A	N/A	2	510-418	515-418
Nordik	87-91	21.375°	-	N/A	N/A	N/A	2	510-425	N/A
Olympique	70-72	24.00°	-	N/A	N/A	N/A	1	510-403	N/A
Olympique	73-74	29.562°	-	N/A	N/A	N/A	2	510-410	N/A
Olympique	75-79	19.75°	2	505-418	N/A	N/A	2	510-412	N/A
Safari 377/447/503	84-88	19.75°	2	505-418	N/A	N/A	2	510-412	N/A
Safari L/LE/LX/LXE, GLX/LC/LCE, Dlx/Rally	90-94	20.00°	3	505-422	506-422	N/A	3	510-422	515-422
Saga	89	19.75°	2	505-418	N/A	N/A	2	510-412	N/A
Scout	89-92	19.75°	2	505-418	N/A	N/A	2	510-412	N/A
Skandic 277/377	82-85	20.00°	2	505-418	N/A	N/A	2	510-418	515-418
Skandic 377R	84-87	21.375°	-	N/A	N/A	N/A	2	510-425	N/A
Skandic 377/503	86-87	19.75°	2	505-418	N/A	N/A	2	510-412	N/A
Skandic IIR	92-94	20.00°	3	505-422	506-422	N/A	3	510-422	515-422
Skandic 380/500	95-2000	24.50°	2	505-426	506-426	N/A	2	510-426	515-426
Skandic LT / WT / SWT	95-2007		-	N/A	N/A	N/A		N/A	N/A
Skandic Sport / 500F/ 550F	2003-05	15.50°	3	505-431	506-431	N/A	3	510-431	515-431
Skandic SUV	2003-2007		-	N/A	N/A	N/A		N/A	N/A
Skandic Tundra	2006-2007	15.50°	3	505-431	506-431	N/A	3	510-431	515-431
SS25	84	19.75°	2	505-418	N/A	N/A	2	510-412	N/A
Stratos (inner)	88	14.00°	-	N/A	N/A	N/A	1	510-424	515-424
Stratos (outer)	88	18.75°	-	N/A	N/A	N/A	2	510-423	515-423
Summit	94-96	19.75°	3	505-421	506-421	N/A	3	510-421	515-421
Summit	97	17.625°	3	505-428	506-428	507-428	3	510-428	515-428
Summit	98-2001	22.00°	4	505-429	506-429	507-429	4	510-429	515-429
Summit	2002	18.50°	3	505-433	506-433	N/A	3	510-433	515-433
Summit	2002-2003	22.00°	4	505-429	506-429	507-429	4	510-429	515-429
Summit	2004	13.50°	2	505-434	506-434	N/A	2	510-434	515-434
Summit	2005	18.50°	3	505-433	506-433	N/A	3	510-433	515-433
Summit	2006-2007	13.38	2	505-436	506-436	N/A	2	510-436	515-436
TNT	70-72	24.00°	-	N/A	N/A	N/A	1	510-403	N/A
TNT	73	29.562°	-	N/A	N/A	N/A	2	510-410	N/A
TNT F/A	73-74	29.562°	-	N/A	N/A	N/A	2	510-410	N/A
TNT F/C	74	19.00°	-	N/A	N/A	N/A	2	510-406	N/A
TNT F/A,F/C,RV	75-78	19.75°	2	505-418	N/A	N/A	2	510-412	N/A
Touring E/E(LT)/LE/SLE	95-98	24.50°	2	505-426	506-426	N/A	2	510-426	515-426
Touring E/LE/SLE	99-2000	22.75°	2	505-435	506-435	N/A	2	510-435	515-435
Touring 500 Liquid	2000	22.00°	4	505-429	506-429	507-429	4	510-429	515-429
Touring 380/500 Fan	2001	22.75°	2	505-435	506-435	N/A	2	510-435	515-435
Tundra	85	19.00°	3	505-408	N/A	N/A	2	510-408	N/A

Tundra LT	85	21.625°	2	505-418	N/A	N/A	2	510-418	515-418
Tundra LT/LTS II/II LT	86-98	19.75°	2	505-418	N/A	N/A	2	510-412	N/A
Voyager (long)	89	18.75°	-	N/A	N/A	N/A	2	510-423	515-423